




534-T36-R13




FOREST CO SURVEYOR  
FILE # 361334-2010901  
DATE \_\_\_\_\_ BY \_\_\_\_\_



### SYMBOL LEGEND

⊙	FOUND AS NOTED
○	SET 1"X24" IRON PIPE (1.6LBS/LF) WITH JAMES D. BLONDHEIM CAP R.L.S. #2800-008
(T)	TOTAL DISTANCE

### VICINITY MAP



### CERTIFICATION

TO FOREST COUNTY POTAWATOMI COMMUNITY

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2011 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/ACSM LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1,2,3,4,6A,6B,7A,7B(1),7B(2),7C,8,9,10,11A,16,17, AND 18 OF TABLE A THEREOF. THE FIELD WORK WAS COMPLETED ON JULY 18, 2011.

JAMES D. BLONDHEIM  
R.L.S. #2800-008  
DATE OF MAP: 09-01-11

CERTIFICATION AS CONCERNS THE ENTITIES NOTED IS EXTENDED ONLY TO FOREST COUNTY POTAWATOMI COMMUNITY AS THE CLIENT OF COLEMAN ENGINEERING COMPANY AND ALSO OTHERWISE SUBJECT TO THE CONTRACTUAL LIMITATIONS WHICH HAVE BEEN AGREED TO BETWEEN FOREST COUNTY POTAWATOMI COMMUNITY AND COLEMAN ENGINEERING COMPANY AS CONCERNS THE SURVEY WORK PROVIDED.



SURVEY CERTIFICATE

Forest Abstract Company  
Title Commitment No. F-11412  
Effective Date November 19, 2010

This survey was made for the benefit of Forest County Potawatomi Community, its successors and assigns.

I, James D. Blondheim, a Registered Land Surveyor in the State of Wisconsin, do hereby certify to the aforesaid parties, their successors and assigns, as of the date set forth, that I have made careful survey of a tract of land (the "Premises") described as follows:

The south one Half of the Southwest Quarter (S1/2 x SW1/4) of Section Twenty-three (23); All in Township 36 North, Range 13 East, Forest County, Wisconsin.

A. The basis of bearing for this project is the Forest County Coordinate System that was established through static GPS sessions processed through OPUS.

B. No buildings existing on the surveyed property.

C. There are no observed visible utilities serving the Premises or enter through adjoining public roads.

D. There are no encroachments onto adjoining premises or public roads by any buildings, structures or other improvements, and no encroachments onto said Premises by building, structures or other improvements situated on adjoining premises.

E. Said described property does not have any flood zone data available per map #55041C0480C, panel #480, effective date 12-16-2011. Maps are located in Forest County Zoning/Land use office.

F. The Property has direct physical access to Bug Lake Road.

G. The number of striped parking spaces located on the subject property is zero.

H. All set back, side yard and rear yard lines shown set forth in the applicable zoning ordinance are noted on the Survey.

I. There is no observed evidence of current earth moving, building construction or building additions.

J. There is no evidence of proposed changes in road right-of-way.

K. All observed evidence of solid waste dumping locations are shown on the drawing.

L. No address was disclosed in the record documents or observed in the field for the surveyed property.

M. All distances may not meet ALTA/ACSM measurement standards due to heavy tree cover on site.

N. Forest County Highway Department was contacted and had no information of roadway widths differing from 66 feet.

SCHEDULE B - SECTION II EXCEPTIONS

10. Public or private rights for roadway purposes: all public roads shown on drawing.

12. Mineral rights to S1/2 of the SW1/4 Section, V23 Pg292 & V4 Pg 410: unplottable

ZONING INFORMATION

(TOWN OF LINCOLN, WISCONSIN)

DISTRICT: GV (GENERAL RURAL)

As per chapter 6, "General Rural (GR) District", Town of Lincoln Zoning Ordinance.

Revisions to this ordinance effective upon passage and publication.

Revisions passed: May 9, 2001 by Town Board, Town of Lincoln.

Revisions Approved: May 29, 2001 by Forest County Board.

Published June 6, 2001 by Carol Spencer, Town Clerk, Town of Lincoln.

STRUCTURE SETBACK REQUIREMENTS:

6.03 MINIMUM LOT AREA: 2 acres

6.04 MINIMUM LOT FRONTAGE: Town and forest service roads: 200 feet

6.05 SETBACK FROM TOWN ROADS AND NON PAVED FOREST SERVICE ROADS: 63 feet from centerline of the road or 30 feet from the edge of the right-of-way (whichever is greater)

6.06 SIDEYARD WIDTHS: 20 feet, accessory buildings 15 feet

6.07 MAXIMUM LOT COVERAGE: 20%

6.08 STRUCTURE HEIGHT LIMIT: 40 feet

6.11 HUNTING AND RECREATIONAL CABINS: Hunting and recreational cabins may be erected in the GR District provided that:

(a) Minimum footage of 400 square feet on the ground floor.

(b) Lot minimum of 5 acres.


(c) Minimum lot frontage on roadway: Town and forest service roads, 200 feet...

(d) Minimum set-back from roadway, 150 feet from centerline.

(e) side yard widths, 50 feet.

(f) Maximum height, 40 feet.

SCALE= 1"=300'



**SYMBOL LEGEND**



FOUND AS NOTED



SET 1"X30" IRON PIPE (1.6LBS/LF) WITH  
JAMES D. BLONDHEIM CAP R.L.S. #2800-008




CENTERLINE OF 2-TRACK ROAD



TOTAL DISTANCE

**VICINITY MAP**



Certifications requested as per Forest County Potawatomi Community

This survey is made for the exclusive use of the present owners of the property; those who purchase, mortgage, or insure the title thereto within one (1) year from date hereof; the Forest County Potawatomi Community and the successors and assigns of the Forest County Potawatomi Community including, but not limited to, the United States of America if they take title to the property in trust for the Forest County Potawatomi Community; and as to all of the foregoing I warrant the accuracy of said survey map.

**CERTIFICATION**

TO FOREST COUNTY POTAWATOMI COMMUNITY


THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2011 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/ACSM LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1,2,3,4,6A,6B,7A,7B(1),7B(2),7C,8,9,10,11A,16,17, AND 18 OF TABLE A THEREOF. THE FIELD WORK WAS COMPLETED ON JULY 18, 2011.

JAMES D. BLONDHEIM  
R.L.S. #2800-008  
DATE OF MAP: 09-01-11

CERTIFICATION AS CONCERNS THE ENTITIES NOTED IS EXTENDED ONLY TO FOREST COUNTY POTAWATOMI COMMUNITY AS THE CLIENT OF COLEMAN ENGINEERING COMPANY AND ALSO OTHERWISE SUBJECT TO THE CONTRACTUAL LIMITATIONS WHICH HAVE BEEN AGREED TO BETWEEN FOREST COUNTY POTAWATOMI COMMUNITY AND COLEMAN ENGINEERING COMPANY AS CONCERNS THE SURVEY WORK PROVIDED.









S34-T36N-R13E



SCALE= 1"=400'

### SYMBOL LEGEND

	FOUND AS NOTED
	SET 1"X30" IRON PIPE (1.6LBS/LF) WITH JAMES D. BLONDHEIM CAP R.L.S. #2800-008
(T)	TOTAL MEASURED DISTANCE
(C)	CALCULATED DISTANCE
(M)	MEASURED DISTANCE
(N)	NICOLET PLAT OF SURVEY RECORD DISTANCE
(R)	B.L.M. RESURVEY RECORD DISTANCE (1983)
	POWER POLE
	SIGN
	TELEPHONE PEDESTAL
	FIBER OPTIC MARKER
TREML	MIKE TREML PLAT OF SURVEY 10-02-07

### VICINITY MAP

COLEMAN ENGINEERING COMPANY  
636 CIRCLE DRIVE - IRON MOUNTAIN, MICHIGAN 49801 (906) 774-3440  
280 EAST AVENUE STREET, IRONWOOD, MICHIGAN 49838 (906) 933-5046

ALTA/ACSM LAND TITLE SURVEY  
FOREST COUNTY POTAWATOMI COMMUNITY

CLIENT:

SURVEYED BY	DRAWN BY	CAD DRAWING
CSC	EST	#11181JWD
CHECKED BY		CAD PROJECT
DATE		#11181
07/28/10		XDC

SURVEY CERTIFICATE

Forest Abstract Company  
Title Commitment No. F-11412  
Effective Date November 19, 2010

This survey was made for the benefit of Forest County Potawatomi Community, its successors and assigns.

I, James D. Blondheim, a Registered Land Surveyor in the State of Wisconsin, do hereby certify to the aforesaid parties, their successors and assigns, as of the date set forth, that I have made careful survey of a tract of land (the "Premises") described as follows:

The South One Half of the Northeast Quarter (S1/2 x NE1/4) and the Southeast Quarter of the Northwest Quarter (SE1/4 x NW1/4) of Section Thirty-four (34); All in Township 36 North, Range 13 East, Forest County, Wisconsin.

- A. The basis of bearing for this project is the Forest County Coordinate System that was established through static GPS sessions processed through OPUS.
- B. No buildings existing on the surveyed property.
- C. All observed visible utilities serving the Premises enter through adjoining public roads and are shown.
- D. There are no encroachments onto adjoining premises or public roads by any buildings, structures or other improvements, and no encroachments onto said Premises by building, structures or other improvements situated on adjoining premises.
- E. Said described property does not have any flood zone data available per map #55041C0490C, panel #490, effective date 12-16-2011.
- F. The Property has direct physical access to Youngs Lane and Potawatomi Trail.
- G. The number of striped parking spaces located on the subject property is zero.
- H. All set back, side yard and rear yard lines shown set forth in the applicable zoning ordinance are noted on the Survey.
- I. There is no observed evidence of current earth moving, building construction or building additions.
- J. There is no evidence of proposed changes in road right-of-way.
- K. All observed evidence of solid waste dumping locations are shown on the drawing.
- L. No address was disclosed in the record documents or observed in the field for the surveyed property.
- M. All distances may not meet ALTA/ACSM measurement standards due to heavy tree cover on site.
- N. Forest County Highway Department was contacted and had no information of roadway widths differing from 66 feet.

SCHEDULE B - SECTION II EXCEPTIONS

10. Public or private rights for roadway purposes: all public roads shown on drawing.

ZONING INFORMATION

(TOWN OF LINCOLN, WISCONSIN)

DISTRICT: GR (GENERAL RURAL)

As per Chapter 6, "General Rural (GR) District", Town of Lincoln Zoning Ordinance.

Revisions to this ordinance effective upon passage and publication.

Revisions passed: May 9, 2001 by Town Board, Town of Lincoln.

Revisions Approved: May 29, 2001 by Forest County Board.

Published June 6, 2001 by Carol Spencer, Town Clerk, Town of Lincoln.

STRUCTURE SETBACK REQUIREMENTS:

- 6.03 MINIMUM LOT AREA: 2 acres
- 6.04 MINIMUM LOT FRONTAGE: Town and forest service roads: 200 feet
- 6.05 SETBACK FROM TOWN ROADS AND NON PAVED FOREST SERVICE ROADS: 63 feet from centerline of the road or 30 feet from the edge of the right-of-way (whichever is greater)
- 6.06 SIDEYARD WIDTHS: 20 feet, accessory buildings 15 feet
- 6.07 MAXIMUM LOT COVERAGE: 20%
- 6.08 STRUCTURE HEIGHT LIMIT: 40 feet
- 6.11 HUNTING AND RECREATIONAL CABINS: Hunting and recreational cabins may be erected in the GR District provided that:
- (a) Minimum footage of 400 square feet on the ground floor.
- (b) Lot minimum of 5 acres.
- (c) Minimum lot frontage on roadway: Town and forest service roads, 200 feet.
- (d) Minimum set-back from roadway, 150 feet from centerline.
- (e) Side yard widths, 50 feet.
- (f) Maximum height, 40 feet.

Certifications requested as per Forest County Potawatomi Community

This survey is made for the exclusive use of the present owners of the property; those who purchase, mortgage, or insure the title thereto within one (1) year from date hereof; the Forest County Potawatomi Community and the successors and assigns of the Forest County Potawatomi Community including, but not limited to, the United States of America if they take title to the property in trust for the Forest County Potawatomi Community; and as to all of the foregoing I warrant the accuracy of said survey map.

CERTIFICATION


TO FOREST COUNTY POTAWATOMI COMMUNITY

THIS IS TO CERTIFY THAT THIS MAP OR PLAT AND THE SURVEY ON WHICH IT IS BASED WERE MADE IN ACCORDANCE WITH THE 2011 MINIMUM STANDARD DETAIL REQUIREMENTS FOR ALTA/ACSM LAND TITLE SURVEYS, JOINTLY ESTABLISHED AND ADOPTED BY ALTA AND NSPS, AND INCLUDES ITEMS 1,2,3,4,6A,6B,7A,7B(1),7B(2),7C,8,9,10,11A,16,17, AND 18 OF TABLE A THEREOF. THE FIELD WORK WAS COMPLETED ON JULY 18, 2011.

JAMES D. BLONDHEIM  
R.L.S. #2800-008  
DATE OF MAP: 09-01-11

CERTIFICATION AS CONCERNS THE ENTITIES NOTED IS EXTENDED ONLY TO FOREST COUNTY POTAWATOMI COMMUNITY AS THE CLIENT OF COLEMAN ENGINEERING COMPANY AND ALSO OTHERWISE SUBJECT TO THE CONTRACTUAL LIMITATIONS WHICH HAVE BEEN AGREED TO BETWEEN FOREST COUNTY POTAWATOMI COMMUNITY AND COLEMAN ENGINEERING COMPANY AS CONCERNS THE SURVEY WORK PROVIDED.

SCALE= 1"=400'



SYMBOL LEGEND

	FOUND AS NOTED
	SET 1"X30" IRON PIPE (1.6LBS/LF) WITH JAMES D. BLONDHEIM CAP R.L.S. #2800-008
	TOTAL MEASURED DISTANCE
	CALCULATED DISTANCE
	MEASURED DISTANCE
	NICOLET PLAT OF SURVEY RECORD DISTANCE
	B.L.M. RESURVEY RECORD DISTANCE (1983)
	POWER POLE
	SIGN
	TELEPHONE PEDESTAL
	FIBER OPTIC MARKER
TREML	MIKE TREML PLAT OF SURVEY 10-02-07

VICINITY MAP

