


CONVENTIONAL SYMBOLS AND ABBREVIATIONS

AR	ACCESS RIGHTS	CONST	CONSTRUCTION	MI	MILE	R/W	RIGHT OF WAY
AC	ACRE	CP	CULVERT PIPE	P	PAGE	S	SHED
AH	AHEAD	CSM	CERTIFIED SURVEY MAP	PC	POINT OF CURVATURE	SD	STORM DRAINAGE
ALUM MON	ALUMINUM MONUMENT	D	DEGREE OF CURVE	PE	PERPETUAL EASEMENT	SF	SQUARE FEET
ANT	ANTENNA	ETAL	AND OTHERS	PERM	PERMANENT	STA	STATION
AP	ACCESS POINT	FRL	FRACTIONAL	PT	POINT OF TANGENCY	T	TANK
B	BARN	FT	FEET	PI	POINT OF INTERSECTION	TAV	TAVERN
BK	BACK	G	GARAGE	PLE	PERMANENT LIMITED EASEMENT	TEMP	TEMPORARY
BLDG	BUILDING	H	HOUSE	R	RADIUS	TI	TEMPORARY INTEREST
BM	BENCH MARK	L	LENGTH OF CURVE	RDE	RESTRICTED DEVELOPMENT EASEMENT	VOL	VOLUME
C	CHURCH	LC	LONG CHORD OF CURVE	REM	REMAINING	W	WALL
C/L	CENTERLINE	LCB	LONG CHORD BEARING	REST	RESTAURANT		
CONC MON	CONCRETE MONUMENT	LT	LEFT	RT	RIGHT		

COUNTY LINE	SECTION CORNER
CORPORATE LIMITS	
PROPERTY LINE	
TOWN AND RANGE LINES	RAILROAD
SECTION LINE	MARSH AREA
QUARTER LINE	
SIXTEEN LINE	WOODED OR SHRUB AREA
NEW REFERENCE LINE	GRAVESTONE
TEMPORARY INTEREST	FOUNDATION OR RUIN
PERMANENT LIMITED EASEMENT	BUILDING
EXISTING RIGHT OF WAY	CEMETERY
PROPOSED OR NEW R/W LINE	GAS MARKER OR TELEPHONE PEDESTAL
SURVEY LINE	IRON PIPE
SLOPE INTERCEPT	R/W MONUMENT
ORIGINAL GROUND	NON-MONUMENTED R/W POINT
MARSH OR ROCK PROFILE	R/W STANDARD/POST
EXISTING CULVERT	WINDMILL
PROPOSED CULVERT (Box or Pipe)	VALVE
COMBUSTIBLE FLUIDS	SEPTIC VENT,WELL, SILO, MANHOLE, ETC.
UNDERGROUND UTILITIES	GAS PUMPS
GAS	TRANSMISSION TOWER AND LINE
ELECTRIC	BRIDGE
TELEPHONE OR TELEGRAPH	STREAM OR RIVER
FIBER OPTIC CABLE	LAKE
TELEVISION CABLE	
SERVICE PEDESTAL	
CABLE MARKER	
POWER POLE	
TELEPHONE POLE	
FENCE	

BEGIN RELOCATION ORDER

STA. 5+04.00
N= 4,984.815
E= 4,955.152
0.00 FEET NORTH AND 0.00 FEET
EAST OF THE W 1/4 CORNER OF SECTION 31,
TOWNSHIP 36 NORTH, RANGE 15 EAST



END RELOCATION ORDER

STA. 69+25.00
N= 3,692.918
E= 10,340.167
1,284.24 FEET SOUTH AND 5.12 FEET
EAST OF THE E 1/4 CORNER OF SECTION 31,
TOWNSHIP 36 NORTH, RANGE 15 EAST

NOTES

- COORDINATES ARE BASED ON AN ASSUMED DATUM.
- ALL PLAT DISTANCES ARE GROUND LENGTHS.
- RIGHT OF WAY MONUMENTS ARE TYPE 2 AND ARE PLACED PRIOR TO OR AT THE TIME OF LAND TITLE TRANSFER.
- RIGHT OF WAY BOUNDARIES ARE DEFINED WITH COURSES OF THE PERIMETER OF THE HIGHWAY LAND REFERENCED TO THE U.S. PUBLIC LAND SURVEY OR OTHER SURVEYS OF PUBLIC RECORD.

APPROVED FOR
FOREST COUNTY HIGHWAY DEPARTMENT

COUNTY HIGHWAY COMMISSIONER

3-14-2000
(DATE)

RIGHT OF WAY PLAT
PREPARED BY

ENGINEERS & SCIENTISTS

GRAEF
ANHALT
SCHLOEMER
and Associates Inc.

150 SPRINGHURST DRIVE, SUITE 201
GREEN BAY, WISCONSIN 54304
(920) 592-9440

WISCONSIN
MICHAEL C. JENSEN
S-1746
WAUPACA
WI

3-9-00

REVISION DATE

SCHEDULE OF LANDS & INTERESTS REQUIRED

AREAS SHOWN IN THE TOTAL ACRES COLUMN MAY BE APPROXIMATE AND ARE DERIVED FROM TAX ROLLS OR OTHER AVAILABLE SOURCES AND MAY NOT INCLUDE LANDS OF THE OWNER WHICH ARE NOT CONTIGUOUS TO THE AREA TO BE ACQUIRED.

PARCEL NUMBER	SHEET NUMBER	OWNER	INTEREST REQUIRED	TOTAL ACRES	R/W REQUIRED (ACRES)			TOTAL REMAINING ACRES	TEMPORARY INTEREST ACRES	P.L.E. PERM. ACRES
					NEW	EXISTING	TOTAL			
1	4.2	THOMAS H. ENDERS	FEE	0.12 AC.	0.01 AC.	---	0.01 AC.	0.12 AC.	---	---
2	4.2	STATE OF WISCONSIN	FEE AND T.I.	EXTENSIVE	0.02 AC.	0.07 AC.	0.09 AC.	EXTENSIVE	0.02 AC.	---
3	4.2	HARVEY BAAKE AND VIRGINIA BAAKE	FEE	0.45 AC.	0.02 AC.	---	0.02 AC.	0.43 AC.	---	---
4	4.2	THEODORE A. BANIE AND GERALD W. BANIE	FEE AND T.I.	0.12 AC.	0.01 AC.	---	0.01 AC.	0.12 AC.	0.01 AC.	---
6	4.2	JUDITH M. GLIEBE	T.I.	---	---	---	---	---	0.02 AC.	---
7	4.2	THOMAS H. ENDERS	T.I.	---	---	---	---	---	0.01 AC.	---
8	4.2	WILLIAM C. LEMERANDE	T.I.	---	---	---	---	---	0.01 AC.	---
9	4.2	FOREST TRANSIT COMMISSION	T.I.	---	---	---	---	---	0.02 AC.	---
11	4.2	DOROTHY MURPHY, ALBERTA HAMMERLE, ALMOLLIE L. LAURENCE AND HARRY E. LAURENCE	FEE AND T.I.	8.93 AC.	0.02 AC.	0.06 AC.	0.08 AC.	8.85 AC.	0.06 AC.	---
12	4.2	JOHN ENDERS AND NANCY ENDERS	FEE	1.77 AC.	0.06 AC.	0.13 AC.	0.19 AC.	1.58 AC.	---	---
13	4.3	DAVID A. TALLIER AND CYNTHIA A. TALLIER	FEE	0.19 AC.	0.02 AC.	---	0.02 AC.	0.17 AC.	---	---
14	4.3	GERALD NEWMAN	FEE	0.32 AC.	0.04 AC.	---	0.04 AC.	0.28 AC.	---	---
16	4.3	RUSSELL LEE BYTELL	FEE	4.03 AC.	0.02 AC.	---	0.02 AC.	4.01 AC.	---	---
17	4.3	JOHN L. CARTER AND MARGARET L. CARTER	FEE	2.01 AC.	0.08 AC.	---	0.08 AC.	1.93 AC.	---	---
18	4.3	STEVEN A. CARTER AND PATRICIA E. CARTER	FEE	0.35 AC.	0.06 AC.	---	0.06 AC.	0.29 AC.	---	---
19	4.3	TIMOTHY R. COLLINS	FEE	3.15 AC.	0.01 AC.	---	0.01 AC.	3.14 AC.	---	---
21	4.3	JOHN CALHOUN AND LISA CALHOUN	FEE	9.70 AC.	0.07 AC.	0.23 AC.	0.30 AC.	9.40 AC.	---	---
22	4.3	THE SHARKO FAMILY TRUST, C/O WILLIAM G. SHARKO	FEE AND T.I.	11.50 AC.	0.05 AC.	0.14 AC.	0.19 AC.	11.31 AC.	0.01 AC.	---
23	4.3	JOSEPH DEWANE KRAUSE	FEE	10.00 AC.	0.04 AC.	0.12 AC.	0.16 AC.	9.84 AC.	---	---
24	4.3	MARILYN J. LEACH AND WARD F. LEACH	FEE	3.27 AC.	0.03 AC.	0.08 AC.	0.11 AC.	3.16 AC.	---	---
26	4.3	EDWARD KRAWZE AND CHESTER KRAWZE	FEE	43.45 AC.	0.02 AC.	0.04 AC.	0.06 AC.	43.39 AC.	---	---
27	4.4	ROBERT F. LEMERANDE AND GAIL LEMERANDE	FEE	15.21 AC.	0.28 AC.	0.38 AC.	0.66 AC.	14.55 AC.	---	---
28	4.4	HARRY E. LAURENCE	FEE AND T.I.	2.00 AC.	0.16 AC.	0.25 AC.	0.41 AC.	1.59 AC.	0.03 AC.	---
29	4.4	ALBERT L. LAURENCE, DORTHY A. WILKE, ROBERT A. LAURENCE, RICHARD G. LAURENCE, SALLY J. LAURENCE AND DONALD G. LAURENCE	FEE AND T.I.	22.79 AC.	0.07 AC.	0.38 AC.	0.45 AC.	22.34 AC.	0.02 AC.	---
31	4.4	JESSE EDWARD BYTELL AND LORETTA BYTELL	FEE AND T.I.	1.00 AC.	0.03 AC.	0.13 AC.	0.16 AC.	0.84 AC.	0.02 AC.	---
32	4.4	RICHARD KEITH KRAWZE AND SUSAN ELLA KRAWZE	FEE	38.04 AC.	0.38 AC.	0.74 AC.	1.12 AC.	36.92 AC.	---	---
33	4.4	FRANK MOHR AND JUDITH MOHR	FEE AND T.I.	0.96 AC.	0.01 AC.	0.13 AC.	0.14 AC.	0.82 AC.	0.02 AC.	---
34	4.5	VIRGINIA M. SPENCER	T.I.	---	---	---	---	---	0.04 AC.	---
36	4.5	GREG KADLEC AND JANICE KADLEC	T.I.	---	---	---	---	---	0.07 AC.	---
37	4.5	RICHARD PIETILA AND CHERYL PIETILA	FEE AND T.I.	1.99 AC.	0.05 AC.	0.16 AC.	0.21 AC.	1.78 AC.	0.03 AC.	---
38	4.5	CURTIS SPENCER AND JOY JEAN SPENCER	FEE AND T.I.	5.96 AC.	0.10 AC.	0.32 AC.	0.42 AC.	5.54 AC.	0.07 AC.	---
39	4.5-4.6	DEWEY SPENCER	FEE AND T.I.	34.04 AC.	2.30 AC.	1.48 AC.	3.78 AC.	30.26 AC.	0.03 AC.	---
41	4.6	WISCONSIN TIMBER ASSOCIATION	FEE	320.00 AC.	0.35 AC.	0.70 AC.	1.05 AC.	318.95 AC.	---	---
50	4.3-4.6	G.T.E. NORTH, INC.	RELEASE OF RIGHTS	---	---	---	---	---	---	---



150 Springhurst Drive
Suite 201
Green Bay, WI 54304-5950
920 592-9440
FAX 592-9445

Web Site: www.gsaol.com

Other offices located in:

Milwaukee, Wisconsin
Madison, Wisconsin
Chicago, Illinois

PROJECT NAME:

C.T.H. "H"

SHEET TITLE:

SCHEDULE OF LANDS AND INTERESTS

NO. DATE REVISIONS BY

PROJECT NUMBER: 982033

DATE: 09-Mar-00 JS/JS

DESIGNED BY: DSG

DRAWN BY: JPZ

CHECKED BY: MCJ

PROJECT MANAGER: DSG

FILE: g:\982033\ms\planset\ached01.dgn

SCALE: HORZ.: NONE

SHEET NUMBER



150 Springhurst Drive
Suite 201
Green Bay, WI 54304-5950
920 592-9440
FAX 592-9445

Web Site: www.gasol.com

Other offices located in:

Milwaukee, Wisconsin
Madison, Wisconsin
Chicago, Illinois

PROJECT NAME:

C.T.H. "H"

COURSE	BEARING	DISTANCE
1 - 100	S 89° 57'02" E	33.00'
100 - 101	N 0° 46'10" W	33.00'
101 - 102	N 0° 46'10" W	8.74'
102 - 103	S 42° 42'30" E	11.90'
103 - 101	N 89° 57'02" W	7.96'
1 - 100	S 89° 57'02" E	33.00'
100 - 104	S 0° 46'10" E	33.00'
104 - 105	S 89° 57'02" E	12.62'
105 - 106	S 43° 10'08" W	18.19'
106 - 104	N 0° 46'10" W	13.28'
1 - 2	S 89° 57'02" E	926.00'
2 - 3	N 0° 02'58" E	33.00'
3 - 4	N 0° 02'58" E	12.00'
4 - 5	S 89° 57'02" E	177.14'
5 - 6	S 0° 11'37" E	12.00'
6 - 7	S 0° 02'58" W	33.00'
7 - 8	S 89° 57'02" E	112.80'
8 - 9	S 0° 02'58" W	33.00'
9 - 10	N 0° 02'58" W	32.00'
10 - 11	N 89° 57'02" W	60.00'
11 - 12	N 44° 57'02" W	28.28'
12 - 13	N 89° 57'02" W	190.00'
13 - 14	N 0° 02'58" E	12.00'
14 - 15	N 0° 02'58" E	33.00'
15 - 2	N 89° 57'02" W	20.00'


SHEET TITLE:

R/W PLAT

NO.	DATE	REVISIONS	BY
PROJECT NUMBER: 982033			
DATE: 09-Mar-00		1540	
DESIGNED BY:		DSG	
DRAWN BY:		JPZ	
CHECKED BY:		MCJ	
PROJECT MANAGER: DSG			
FILE: g:\982033\ms\pionset\w\plot01.dgn			
SCALE: HORZ.: F=50'			

SHEET NUMBER

4.2



CN

SE 1/4 - NW 1/4

TOWN

GEORGE GUENTHERS ADDITION

OF

GTE NORTH INC.
TELEPHONE EASEMENT (50)

C.T.H. "H"
CONSTRUCTION R

SLOPE
INTERCEPT

BURIED TELEPHONE CABLE
(APPROXIMATE LOCATION)

WETLANDS
BURIED GAS LINE
(APPROXIMATE LOCATION)

BURIED ELECTRIC CABLE
(APPROXIMATE LOCATION)

TEMPORARY
INTEREST
FOR SLOPING

NE 1/4 - SW 1/4

COURSE	BEARING	DISTANCE
1 - 16	S 89° 57' 02" E	1,411.49'
16 - 17	S 89° 57' 02" E	54.78'
17 - 18	N 44° 44' 26" E	46.42'
18 - 19	N 44° 44' 26" E	52.04'
19 - 20	N 44° 44' 26" E	42.20'
20 - 21	S 45° 15' 34" E	42.66'
21 - 22	S 45° 15' 34" E	42.65'
22 - 23	S 89° 57' 02" E	220.17'
23 - 24	S 0° 02' 58" W	7.00'
24 - 25	S 89° 57' 02" E	550.00'
25 - 26	N 77° 38' 32" E	102.39'
26 - 27	S 89° 57' 02" E	231.85'
27 - 28	S 0° 54' 22" E	55.00'
28 - 29	S 0° 54' 22" E	44.76'
29 - 30	S 87° 55' 21" W	33.54'
30 - 31	N 89° 57' 02" W	265.00'
31 - 32	N 0° 02' 58" E	13.00'
32 - 33	N 89° 57' 02" W	335.00'
33 - 34	S 0° 02' 58" W	12.00'
34 - 35	N 89° 57' 02" W	470.00'
35 - 36	N 0° 02' 58" E	12.00'
36 - 37	N 89° 57' 02" W	213.93'
37 - 16	N 0° 57' 09" W	33.00'

LAONA


P.K. NAIL
N=4979.454
E=7683.921

T 36 N
31
R 15 E

THIRD
RAILWAY
ADDITION
BLOCK 18

STA. 20+69.87 CTH "H"
STA. 400+00.00 FOREST ST.

RAILROAD SPIKE
N=4981.815
E=4955.152



COURSE	BEARING	DISTANCE
38 - 39	N 89° 57' 02" W	1.325.56'
39 - 40	S 0° 34' 03" E	39.49'
40 - 41	N 87° 27' 16" W	148.90'
41 - 42	N 89° 57' 02" W	110.00'
42 - 43	S 0° 02' 58" W	27.00'
43 - 44	N 89° 57' 02" W	600.00'
44 - 45	N 0° 02' 58" E	27.00'
45 - 46	N 89° 57' 02" W	150.00'
46 - 29	S 87° 55' 21" W	316.70'
29 - 28	N 0° 54' 22" W	44.76'
28 - 27	N 0° 54' 22" W	55.00'
27 - 47	S 89° 57' 02" E	368.15'
47 - 48	N 0° 02' 58" E	10.00'
48 - 49	S 89° 57' 02" E	200.00'
49 - 50	S 84° 14' 23" E	251.25'
50 - 51	S 89° 57' 02" E	475.00'
51 - 52	S 0° 02' 58" W	7.00'
52 - 53	S 0° 02' 58" W	33.00'
53 - 39	S 89° 57' 02" E	33.33'

CURVE NUMBER	CHORD BEARING	CHORD LENGTH	CURVE LENGTH	RADIUS	TANGENT	DELTA
C1 C2	N 23° 16' 30.5" W N 75° 38' 10" W	393.79' 263.54'	404.62' 266.30'	502.96' 532.96'	213.97' 135.99'	46° 05' 35" 28° 37' 44"

NE 1/4 - SE 1/4

OF

NW 1/4 - SW 1/4

C.T.H. "H"
CURVE DATA
P.I. = 58+83.89
N = 4,977.160
E = 10,335.045
DELTA = 89° 43' 19"
D = 10° 00' 00"
T = 570.18 FT
L = 897.22 FT
R = 572.96 FT
P.C. = 53+13.71
P.T. = 62+10.93

50 GTE NORTH INC.
TELEPHONE EASEMENT

50 GTE NORTH INC.
TELEPHONE EASEMENT

C.T.H. "H"
CONSTRUCTION R

BURIED GAS LINE
(APPROXIMATE LOCATION)

BURIED TELEPHONE CABLE
(APPROXIMATE LOCATION)

SLOPE
INTERCEPT

EXISTING R/W
REVERTS
TO LANDOWNER

TOWN

COUNTY MONUMENT
N = 2358.825
E = 10345.488

COUNTY MONUMENT
N = 4977.160
E = 10335.045

END RELOCATION ORDER

STA. 69+25.00

N = 3692.918
E = 10340.167

COURSE	BEARING	DISTANCE
38 - 54	S 0° 13' 43" E	366.34'
54 - 55	N 89° 46' 17" E	33.00'
55 - 56	S 22° 25' 42" E	44.99'
56 - 57	S 0° 13' 43" E	876.26'
57 - 58	S 89° 46' 17" W	17.00'
58 - 59	S 89° 46' 17" W	33.00'
59 - 54	N 00° 13' 43" W	917.91'
38 - 59	S 00° 13' 43" E	1,284.25'
59 - 60	S 89° 46' 17" W	33.00'
60 - 61	S 89° 46' 17" W	22.00'
61 - 62	N 0° 13' 43" W	714.07'
62 - 63	S 89° 46' 17" W	15.00'
64 - 65	N 41° 24' 56" W	138.45'
66 - 67	N 89° 57' 02" W	363.71'
67 - 68	S 78° 44' 23" W	50.99'
68 - 69	N 89° 57' 02" W	100.00'
69 - 40	N 87° 27' 16" W	241.47'
40 - 39	N 0° 34' 03" W	39.49'
39 - 38	S 89° 57' 02" E	1,325.56'

CURVE NUMBER	CHORD BEARING	CHORD LENGTH	CURVE LENGTH	RADIUS	TANGENT	DELTA
C1	N 23° 16' 30.5" W	393.79'	404.62'	502.96'	213.97'	46° 05' 35"
C2	N 75° 38' 10" W	263.54'	266.30'	532.96'	135.99'	28° 37' 44"