



PLAT OF SURVEY U.S. GOVERNMENT LAND

Sheet one of four

BEING THE NW 1/4, THE NE 1/4, THE E 1/2 OF THE SE 1/4,
THE SW 1/4 OF THE SE 1/4, THE W 1/2 OF THE SW 1/4,
AND THE NE 1/4 OF THE SW 1/4 OF SECTION 3, TOWN-
SHIP 34 NORTH, RANGE 16 EAST, 4TH PRINCIPAL
MERIDIAN, FOREST COUNTY, WISCONSIN



LEGEND

- Existing Forest Service Monument.
- Set 2" Diameter Aluminum Monument 36" Long
- ◐ Set 2" Diameter Aluminum Monument 60" Long
- Marked Boundary Lines of U.S. Government Land

CONVERSION FACTOR:

Feet to Meters = 0.30480
Meters to Feet = 3.280833

Stock No. 26273

Sheet two of four

SURVEY NOTES

This survey was made by AARON ASSOCIATES of Oconto Falls, Wisconsin under contract with the U.S. Department of Agriculture, Forest Service using Forest Service data on the section perimeter for the purpose of establishing subdivisional corners within Section 3, and for locating and marking the boundaries of U.S. Government lands on their perimeter and within Section 3, Township 34 North, Range 16 East, 4th Principal Meridian, Forest County, Wisconsin.

The U.S. Government lands were acquired in 1934.

The original government survey of this township was made in 1859.

The corner positions recovered, restored, and established are marked by monuments described in the map legend.

The corner positions established by this survey were located to an accuracy of one part in 3000.

The bearings between corner positions are True bearings as determined by solar observation.

The field notes of this survey and a copy of the Plat map are on file in the Forest Supervisor's Office at Rhinelander, Wisconsin.

CORNERS RESTORED AND RECOVERED

1. Section Corner to Sections 3-4, T34N, R16E & 33-34, T35N, R16E.

Corner position found monumented with a 2" diameter Forest Service monument. Certificate on file in the Forest County courthouse.

2. Section Corner to Sections 2-3, T34N, R16E & 34-35, T35N, R16E.

Corner position found marked with a 2" diameter Forest Service monument. Certificate on file in the Forest County courthouse.

3. Section Corner to Sections 2-3-10-11, T34N, R16E.

Corner position found marked with a 2" diameter Forest Service monument. Certificate on file in the Forest County courthouse.

4. Section Corner to Sections 3-4-9-10, T34N, R16E.

Corner position found marked with a 2" diameter Forest Service monument. Certificate on file in the Forest County courthouse.

5. Quarter Corner to Sections 3, T34N, R16E & 34, T35N, R16E.

Corner position found marked with a 2" diameter Forest Service monument. Certificate on file in the Forest County courthouse.

6. Quarter Corner to Sections 2-3, T34N, R16E.

Corner position found marked with a 2" diameter Forest Service monument. Certificate on file in the Forest County courthouse.

Stock No. 26273

Sheet three of four

7. Quarter Corner to Sections 3-10, T34N, R16E.

Corner position found marked with a 2" diameter Forest Service monument.
Certificate on file in the Forest County courthouse.

8. Quarter Corner to Sections 3-4, T34N, R16E.

Corner position found marked with a 2" diameter Forest Service monument.
Certificate on file in the Forest County courthouse.

CORNERS ESTABLISHED9. West Sixteenth Corner between Sections 3, T34N, R16E & 34, T35N, R16E.

Corner position set using Forest Service section data at midpoint between
the northwest and north quarter corners of Section 3.

Corner references:

Cedar	8"	N65E	22.94 ft.
Cedar	6"	S23W	14.77 ft.
Spruce	14"	S80W	18.42 ft.
Sign Post		West	1.70 ft.

10. Center Quarter Corner of Section 3, T34N, R16E.

Corner position set at straight line intersection of quarter lines
in Section 3 using Forest Service section data.

Corner references:

Spruce	6"	N56E	27.97 ft.
Tamarack	3"	S52E	59.96 ft.
Spruce	8"	S10W	47.62 ft.
Sign Post		East	0.75 ft.

11. Center-South Sixteenth Corner of Section 3, T34N, R16E.

Corner position set at midpoint between the south quarter and center
quarter corners of Section 3 according to Forest Service data.

Corner references:

Cedar	11"	N23W	28.63 ft.
Yellow Birch	12"	N12E	21.24 ft.
Cedar	7"	S84E	30.67 ft.
Sign Post		West	1.27 ft.

12. Center-East Sixteenth Corner of Section 3, T34N, R16E.

Corner position set at midpoint between the center quarter and
east quarter corners of Section 3 according to Forest Service data.

Corner references:

Black Spruce	8"	N20E	22.83 ft.
Black Spruce	8"	S48W	11.87 ft.
Black Spruce	6"	N84W	19.70 ft.
Sign post		East	0.55 ft.

Stock No. 26273

Sheet four of four

13. Southeast Sixteenth Corner of Section 3, T34N, R16E.

Set this corner position at the straight line intersection of sixteenth lines in the southeast quarter of Section 3 according to Forest Service data.

Corner references:

Sugar	30"	S23E	16.95 ft.
Elm	5"	S64W	17.36 ft.
Elm	12"	S85W	55.09 ft.
Sign Post		East	0.85 ft.

14. Southwest Sixteenth Corner of Section 3, T34N, R16E.

Set this corner position at the straight line intersection point of sixteenth lines in the southwest quarter of Section 3 according to Forest Service data.

Corner references:

Ironwood	5"	S10W	3.90 ft.
Sugar	5"	N58E	12.52 ft.
Red Maple clump	7"	N03W	17.13 ft.
Sign Post		East	1.02 ft.

15. West Sixteenth Corner between Sections 3 & 10, T34N, R16E.

Set this corner at midpoint between the southwest and south quarter corners of Section 3 according to Forest Service data.

Corner references:

Popple	9"	N73E	20.75 ft.
Popple	9"	N02E	18.46 ft.
Popple	9"	N54W	13.82 ft.
Sign Post		South	0.68 ft.

SURVEYOR'S AFFIDAVIT

STATE OF WISCONSIN)
COUNTY OF FOREST)SS

I, Kim H Pritzlaff, Registered Land Surveyor in the State of Wisconsin hereby certify: that I have surveyed and subdivided Section 3, Township 34 North, Range 16 East, 4th Principal Meridian, Forest County, Wisconsin,

That the Plat map and notes herewith are a true and correct representation of the land surveyed and subdivided using Forest Service section dimensions and information and that I have surveyed and subdivided said Section 3 in accordance with the rules of survey of the public lands and with the Statutes of the State of Wisconsin.

Date of Survey: 1986.

Kim H. Pritzlaff

Kim H Pritzlaff, RLS No. 1259
AARON ASSOCIATES
Oconto Falls, Wisconsin

